




National Center for Vector Borne Diseases Control
Directorate General of Health Services
Ministry of Health & Family Welfare, Government of India



MONTHLY MALARIA SITUATION

CATEGORY – II

STATES/UTs



Monitoring and Evaluation Division

INDEX

Category II STATES/UTs	Page No.
1) Summary Sheet - Category II STATES/UTs	2-5
2) Andhra Pradesh	6-7
3) Assam	8-9
4) Chhattisgarh	10-11
5) Jharkhand	12-13
6) Maharashtra	14-15
7) Meghalaya	16-17
8) West Bengal	18-19
9) Malaria Epidemiological Indicators	20


State categorization as per API 2024 status.

INTRODUCTION AND SUMMARY SHEET FOR CATEGORY II

The surveillance information of Malaria of October, 2025 in Category II States/UTs is enclosed in this Monthly Malaria Situation Information Report. The various indicators analyzed in this report are *Tested, *Positive, *TPR & *Pf.


*Tested (Total Tested : BSE+RDT), Positive (Total Positive Cases), PF (Plasmodium falciparum) and TPR (Total Positivity Rate).

GRAPH 1: MONTH WISE TREND OF TESTED IN CATEGORY II STATES/UTs




There is an increase of Tested by 25.47% up to October, 2025 as compared to last three years average cumulative and also an increase of Tested by 8.82% up to October, 2025 vis-à-vis up to October, 2024.

GRAPH 2: MONTH WISE TREND OF POSITIVE IN CATEGORY II STATES/UTs




There is an increase of Positive by 12.53% up to October, 2025 as compared to last three years average cumulative and also an increase of Positive by 1.63% up to October, 2025 vis-à-vis up to October, 2024.

GRAPH 3: MONTH WISE TREND OF TPR IN CATEGORY II STATES/UTs



The TPR is 0.17 up to October, 2025 as compared to 0.2 last three year average and 0.19 up to October, 2024

GRAPH 4: MONTH WISE TREND OF PF IN CATEGORY II STATES/UTs



There is an increase of Pf by 16.24% up to October, 2025 as compared to last three years average cumulative but a decrease of Pf by 2.81% up to October, 2025 vis-à- vis up to October, 2024.

List of Districts showing a decrease in Surveillance in Category II States/UTs

SN	States/UTs	Districts/Units
1	Andhra Pradesh	Anakapalli, Ananthapuramu, Ntr, Sri Potti Sriramulu Nellore, Sri Sathya Sai, Visakhapatnam & Vizianagaram
2	Assam	Baksa, Barpeta, Biswanath & Cachar
3	Chhattisgarh	Balod, Balodabazar-Bhatapara, Bemetara, Bilaspur, Dhamtari, Durg, Gaurela-Pendra-Marwahi, Janjgir-Champa, Jashpur, Kabeergham, Khairagarh-Chhuikhadan-Gandai, Korba, Mahasamund, Manendragarh-Chirmiri-Bharatpur(M C B), Mohla-Manpur-Ambagarh Chouki, Mungeli, Raigarh, Raipur, Sakti, Sarangarh-Bilaigarh, Surajpur & Surguja
4	Jharkhand	Dhanbad, Lohardaga, Pakur & West Singhbhum
5	Maharashtra	Gadchiroli
6	Meghalaya	East Jaintia Hills & Eastern West Khasi Hills
7	West Bengal	Alipurduar, Basirhat Hd#, Dakshin Dinajpur, Darjeeling, Dimond Harbour Hd#, Hooghly, Jalpaiguri, Murshidabad, Paschim Bardhaman, Paschim Medinipur, Purba Bardhaman, Rampurhat Hd#, South 24 Parganas & Uttar Dinajpur

Current month data is compared with same month previous year data.


Action points for all Category II States/UTs:

- States/UTs need to perform data analysis at sub district level to identify hotspots and implement focal strategies.
- States/UTs need to focus on surveillance of migratory workers.
- States/UTs need to conduct regular meetings of district and state task force for Malaria Elimination.
- States/UTs need preparedness and response for any Malaria outbreak.
- States/UTs need to intensify monitoring and supervision activities.

- States/UTs need to ensure >80% usage of LLIN by community.
- States/UTs need to intensify vector control measures by identifying potential vector breeding sites, environmental management, biological control and focus based adult vector control measures.


ANDHRA PRADESH

GRAPH 1: MONTH WISE TREND OF TESTED IN ANDHRA PRADESH




There is an increase of Tested by 32.01% up to October, 2025 as compared to last three years average cumulative and also an increase of Tested by 6.2% up to October, 2025 vis-à-vis up to October, 2024.

GRAPH 2: MONTH WISE TREND OF POSITIVE IN ANDHRA PRADESH




There is an increase of Positive by 72.08% up to October, 2025 as compared to last three years average cumulative and also an increase of Positive by 15.43% up to October, 2025 vis-à-vis up to October, 2024.

GRAPH 3: MONTH WISE TREND OF TPR IN ANDHRA PRADESH



The TPR is 0.07 up to October, 2025 as compared to 0.05 last three year average and 0.06 up to October, 2024


GRAPH 4: MONTH WISE TREND OF PF IN ANDHRA PRADESH



There is an increase of Pf by 75.95% up to October, 2025 as compared to last three years average cumulative and also an increase of Pf by 22.91% up to October, 2025 vis-à-vis up to October, 2024.


ASSAM

GRAPH 1: MONTH WISE TREND OF TESTED IN ASSAM




There is an increase of Tested by 49.51% up to October, 2025 as compared to last three years average cumulative and also an increase of Tested by 18.94% up to October, 2025 vis-à-vis up to October, 2024.

GRAPH 2: MONTH WISE TREND OF POSITIVE IN ASSAM




There is a major increase of Positive up to October, 2025 as compared to last three years average cumulative and an increase of Positive by 70.14% up to October, 2025 vis-à-vis up to October, 2024.

GRAPH 3: MONTH WISE TREND OF TPR IN ASSAM



The TPR is 0.07 up to October, 2025 as compared to 0.02 last three year average and 0.05 up to October, 2024


GRAPH 4: MONTH WISE TREND OF PF IN ASSAM



There is an increase of Pf by 63.06% up to October, 2025 as compared to last three years average cumulative but a decrease of Pf by 13.98% up to October, 2025 vis-à-vis up to October, 2024.


CHHATTISGARH

GRAPH 1: MONTH WISE TREND OF TESTED IN CHHATTISGARH




There is an increase of Tested by 2.85% up to October, 2025 as compared to last three years average cumulative but a decrease of Tested by 12.32% up to October, 2025 vis-à-vis up to October, 2024.

GRAPH 2: MONTH WISE TREND OF POSITIVE IN CHHATTISGARH




There is a decrease of Positive by 7.56% up to October, 2025 as compared to last three years average cumulative and also a decrease of Positive by 10.92% up to October, 2025 vis-à-vis up to October, 2024.

GRAPH 3: MONTH WISE TREND OF TPR IN CHHATTISGARH



The TPR is 0.42 up to October, 2025 as compared to 0.47 last three year average and 0.41 up to October, 2024


GRAPH 4: MONTH WISE TREND OF PF IN CHHATTISGARH



There is a decrease of Pf by 7.03% up to October, 2025 as compared to last three years average cumulative and also a decrease of Pf by 10.05% up to October, 2025 vis-à-vis up to October, 2024.


JHARKHAND

GRAPH 1: MONTH WISE TREND OF TESTED IN JHARKHAND




There is an increase of Tested by 33.83% up to October, 2025 as compared to last three years average cumulative and also an increase of Tested by 13.49% up to October, 2025 vis-à-vis up to October, 2024.

GRAPH 2: MONTH WISE TREND OF POSITIVE IN JHARKHAND




There is an increase of Positive by 54.23% up to October, 2025 as compared to last three years average cumulative and also an increase of Positive by 5.67% up to October, 2025 vis-à-vis up to October, 2024.

GRAPH 3: MONTH WISE TREND OF TPR IN JHARKHAND



The TPR is 0.57 up to October, 2025 as compared to 0.49 last three year average and 0.61 up to October, 2024


GRAPH 4: MONTH WISE TREND OF PF IN JHARKHAND



There is an increase of Pf by 49.3% up to October, 2025 as compared to last three years average cumulative and also an increase of Pf by 0.13% up to October, 2025 vis-à-vis up to October, 2024.


MAHARASHTRA

GRAPH 1: MONTH WISE TREND OF TESTED IN MAHARASHTRA




There is an increase of Tested by 33.18% up to October, 2025 as compared to last three years average cumulative and also an increase of Tested by 19.07% up to October, 2025 vis-à-vis up to October, 2024.

GRAPH 2: MONTH WISE TREND OF POSITIVE IN MAHARASHTRA




There is an increase of Positive by 36.68% up to October, 2025 as compared to last three years average cumulative and also an increase of Positive by 11.4% up to October, 2025 vis-à-vis up to October, 2024.

GRAPH 3: MONTH WISE TREND OF TPR IN MAHARASHTRA



The TPR is 0.1 up to October, 2025 as compared to 0.09 last three year average and 0.1 up to October, 2024


GRAPH 4: MONTH WISE TREND OF PF IN MAHARASHTRA



There is an increase of Pf by 9.42% up to October, 2025 as compared to last three years average cumulative but a decrease of Pf by 2.5% up to October, 2025 vis-à- vis up to October, 2024.


MEGHALAYA

GRAPH 1: MONTH WISE TREND OF TESTED IN MEGHALAYA




There is an increase of Tested by 37.88% up to October, 2025 as compared to last three years average cumulative and also an increase of Tested by 17.98% up to October, 2025 vis-à-vis up to October, 2024.

GRAPH 2: MONTH WISE TREND OF POSITIVE IN MEGHALAYA




There is a decrease of Positive by 54.31% up to October, 2025 as compared to last three years average cumulative and also a decrease of Positive by 41.12% up to October, 2025 vis-à-vis up to October, 2024.

GRAPH 3: MONTH WISE TREND OF TPR IN MEGHALAYA



The TPR is 0.05 up to October, 2025 as compared to 0.14 last three year average and 0.1 up to October, 2024


GRAPH 4: MONTH WISE TREND OF PF IN MEGHALAYA



There is a decrease of Pf by 58.94% up to October, 2025 as compared to last three years average cumulative and also a decrease of Pf by 44.92% up to October, 2025 vis-à-vis up to October, 2024.


WEST BENGAL

GRAPH 1: MONTH WISE TREND OF TESTED IN WEST BENGAL




There is an increase of Tested by 9.61% up to October, 2025 as compared to last three years average cumulative and also an increase of Tested by 1.37% up to October, 2025 vis-à-vis up to October, 2024.

GRAPH 2: MONTH WISE TREND OF POSITIVE IN WEST BENGAL




There is a decrease of Positive by 32.36% up to October, 2025 as compared to last three years average cumulative and also a decrease of Positive by 6.36% up to October, 2025 vis-à-vis up to October, 2024.

GRAPH 3: MONTH WISE TREND OF TPR IN WEST BENGAL



The TPR is 0.15 up to October, 2025 as compared to 0.25 last three year average and 0.16 up to October, 2024

GRAPH 4: MONTH WISE TREND OF PF IN WEST BENGAL



There is a decrease of Pf by 20.46% up to October, 2025 as compared to last three years average cumulative and also a decrease of Pf by 2.46% up to October, 2025 vis-à-vis up to October, 2024.

S. N	Area	Indicator
1	Surveillance/ case finding	No of Fever cases, No of Malaria cases, No of Pf cases
2	Surveillance/ case finding	Annual Blood Smear Examination Rate (ABER) should be more than 1%of population
3	Surveillance/ case finding	Annual Blood Smear Examination Rate (ABER) should be more than 10%of population
4	Disease burden & impact	Annual Parasite Incidence (API)
5	Disease burden & impact	Annual Falciparum Incidence (AFI)
6	Disease burden & impact	Slide Positivity Rate (SPR): Is independent of surveillance activity, therefore a better indicator for impact assessment
7	Disease burden & impact	Slide Falciparum Rate (SFR): It is independent of surveillance and indicates Pf preponderance
8	Disease burden & impact	Pf percentage (Pf%): Indicates trends in proportion of cases due to Pf out of total cases
	Input	% of Additional Staff in Place (MTS, LT, DVBD Consultant)
9	Input	No of RDTs & ACTs planned versus received & used.
10	Input	% of spray equipment in working condition
11	Input	% of spray workers trained
	Process	BCC Activities
12	Process	% of facilities (SC and PHC) / village level functionaries (ASHA, AWW) reporting stock-out of antimalarials lasting more than 15 days during the quarter
13	Process	% of MPH/ASHA/other volunteers trained for use of RDT / ACT
14	Process	% of diagnostic facilities functional with microscopy/RDT in the last reporting period
15	Output	Nets treated once/twice in a year
16	Output	% of eligible villages covered by ITN,Should be 80% or more
17	Output	Insecticide use
18	Outcome	IRS coverage – Population (%) should be 80% or more
19	Outcome	IRS coverage – Rooms %
20	Outcome	% of fever cases who were tested for malaria by microscopy/ RDT with a positive test result for RDT and were started on treatment no later than the next day with ACT
21	Outcome	% of households in which beneficiaries reported having slept under ITNs/ LLINs previous night
22	Outcome	% of PHC sampled in which utilization of ITNs/ LLINs was more than 80%