





National Center for Vector Borne Diseases Control


Marking	Printing/Marking on Alu/Alu strip and pack should be as per Drugs and Cosmetics Act 1940 and Rules made thereunder and as amended from time to time. Each blister strip / Millboard / Grey board box / 5 Ply shipper should be marked "NVBDCP, Dte. GHS, Govt. of India supply – NOT FOR SALE".
Storage condition	Store protected from moisture under nitrogen atmosphere, at a temperature not exceeding 30°.



Dr. Sambit Pradhan
Asst. Director



Dr. Sella Senthil
M ADC(N), CDSCO


Sh. Meshram Pramod
Anand Rao, DDC(I),



Sh. Vinod Kumar,
DDC(I),



Dr. M. Haider
Asst. Professor



Dr. Renu,
Asst. Professor


Dr. Rinku Sharma
Joint Director



Dr. Chhavi Pant Joshi
Joint Director



Dr. Aarti Tewari
Joint Director



Sh. Anant Kumar
DS (Proc.),



Dr. Deepali Anvikar
Scientist-E



Dr. Pankaj Jorwal
Addl. Professor



Dr. Naveen Gupta
Addl. Director



Dr. Arti Bahl
Addl. Director



Dr. M. Ghadlinge
Professor



Dr. Nagina Agarwal
Professor



Dr. B.R. Mirdha
Professor


Dr. Krishna Pandey
Director


Dr. Anju Nanda
DDG (Store)


Dr. Tanu Jain
Director, NCVBDC


Dr. Loveneesh G. Krishna,
Addl. DG & Co-Chair


Dr. Sunita Sharma, DGHS, Dte. GHS,
MoHFW, GOI & Chairperson